ENLUSE

LUBRICATION RELIABILITY BEST PRACTICE:

LUBRISTATION ™





Lubrication Reliability Best Practices

LUBRISTATION™

Lubricants Storage-Conditioning & Dispensing system.

An Enluse selection guide for Maintenance & Reliability Professionals

INTRODUCTION

Problem N°1 in Lubrication = Contamination Control.

Control of contamination from reception of lubricants till dispensing into the machine.

Reception & Control of new oil

Storage & Conditioning

Dispensing & Transport

Identification

KPI = ISO 4406 (standard for contamination level of lubricants).

Lubrication Reliability = Contamination Control

ENLUSE

Is this your actual Storage & Dispensing situation ?









Lubrication Reliability Best Practice : **LUBRISTATION™**

ENLUSE

Then this is your machine reliability:









Lubrication Reliability Best Practice : **LUBRISTATION™**

How do you store your lubricants now?



BAD Practice

Outside, open drums, non-closable dispensing equipment, no identification.



GOOD Practice

In a clean dry place, closed drums.



BETTER Practice

Clean environment, closed drums, professional dispensing system, conditioned environment (temp).



BEST Practice

LUBRISTATION™

LUBRISTATION ™ HD

- Horizontal oil drums
- Oil Tap self closing
- Breather Dryer Lubesec
- Retention tank - floor



Advantage :

- Budget friendly
- Minimal protection
- Identification
- Kits available



LUBRISTATION MD-SD



- Vertical oil drums
- Pneumatic Pumping System
- Breather Dryer Lubesec
- FILTRATION (3)
- Mobile or Fixed

Advantage :

- Budget friendly
- Flexible
- Best Practice



Lubrication Reliability Best Practice : **LUBRISTATION™**

LUBRISTATION C/PE

- Horizontal Tanks
- Electrical pumps
- Breather Dryer Lubesec
- FILTRATION online (3)
- Retention tank

Advantage :

- Very compact
- 3 lubes / m² surface
- Flexible 1,2,3 lubes
- Optimal protection
- Identification
- Best Practice
- Options (meter, pumps)



LUBRISTATION S

- Horizontal Tanks
- Electrical pumps
- Breather Dryer Lubesec
- FILTRATION online (3)
- Retention tank

Advantage :

- Very compact
- 4 lubes / 1,7 m² surface
- Optimal protection
- Identification
- Best Practice
- Options (meter, pumps)
- Per 2 lubes



LUBRISTATION S

- Horizontal Tanks
- Electrical pumps
- Breather Dryer Lubesec
- FILTRATION online (3)
- Retention tank integrated

Features :

- Quick disconnects
- Rust free
- Optimal protection
- Identification OilSafe
- Filter 3µ , 10µ , 25 µ
- Options (meter, pumps)
- Closed loop transfer









LUBRISTATION LCU

- Vertical Tanks
- Pneumaticl pumps
- Breather Dryer Lubesec
- FILTRATION online (3)
- Retention tank integrated

Advantage :

- Turn Key solution
- 20-40 ft containers
- Optimal protection
- Identification
- Best Practice
- Options (meter, pumps)
- Atex, Condit., Off Shore



LUBRISTATION LCU

- Vertical Drums
- Pneumatical Pumps
- Breather Dryer Lubesec
- FILTRATION online (3)
- Retention tank integrated



Features :

- Containers 20-40 ft
- Tap bar - retention
- Closed loop piping
- Identification OilSafe
- Filtration 3µ , 10µ , 25 µ
- Options (meter, pumps)
- Complete lube storage
- 10 lubes/20 ft.



LUBRISTATION R(etrofitt)

- Vertical Drums
- Pneumaticl Pumps
- Breather Dryer Lubesec
- FILTRATION online (3)
- Retention tanks

Features :

- Using existing luberoom
- Tap bar – retention
- Closed loop piping
- Identification OilSafe
- Filtration 3, 10, 25 µ
- Options (meter, pumps)
- Complete lube storage



OilSafe Bulk Storage Systems

Advanced – Work Center

- Tank storage with optimal protection
- Best practice : filtration & contamination control
- Cleanliness, Efficiency, Safety, Reliability





Lubrication Reliability Best Practice : **OilSafe Bulk® Storage Systems**

OilSafe Bulk Storage Systems

Advanced

- Horizontal Tanks
- Electrical pumps
- Breather Dryer protection
- FILTRATION online (3)
- Retention tank & drip tray
- Oil level indication



Advantage :

- Very compact
- 4 lubes / 1,8 m² surface
- Optimal protection
- Identification - Color codes
- Best Practice
- Options (meter, pumps)
- Mutiple tank dimensions

Lubrication Reliability Best Practice : **OilSafe Bulk® Storage Systems**

OilSafe Bulk Storage Systems

Work Center

- Horizontal Tanks
- Electrical pumps
- Breather Dryer protection
- FILTRATION online (3)
- Retention tank & drip tray
- Oil level indication, alarm



Advantage :

- Very compact & efficient
- Optimal protection
- Identification - Color codes
- Best Practice
- Oil Bar & lubrication tool center
- Options (meter, pumps)
- Mutiple tank dimensions

Lubrication Reliability Best Practice : **OilSafe Bulk® Storage Systems**

LUBRISTATION™

YOUR CHOICE:



BAD Practice

OR



BEST Practice





Lubrication Reliability Best Practice : **LUBRISTATION™**

ENLUSE



www.enluse.com

Tel. +31 (0) 76 57 81 280 - UK: +44 (0) 7393 429957